

## Avide Tri-proof fixture for 1 LED Tube 0.6m

**Product code:** ATPF-1X18W  
**Brand link:** [avidelighting.com/qr/ATPF-1X18W](https://avidelighting.com/qr/ATPF-1X18W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-05-17

**Page:** 1/3

### SPECIFICATIONS

**EAN code:** 5999097916361  
**Warranty:** 5year(s)  
**Working temperature:** -20C° - + 50C°  
**Packaging:** 1/b 12/c 288/p  
**Certifications:** CE

### TECHNICAL DETAILS

**Wattage:**  
**Voltage:** AC85-265V  
**Beam angle:**  
**Dimmability:** No  
**Lumen output:**  
**Color temperature:**  
**Lifetime:**  
**Energy class:**  
**Type of LED:**  
**IP standard:** IP65

### PRODUCT PICTURE



## Avide Tri-proof fixture for 1 LED Tube 0.6m

**Product code:** ATPF-1X18W  
**Brand link:** [avidelighting.com/qr/ATPF-1X18W](https://avidelighting.com/qr/ATPF-1X18W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-17

Page: 2/3

### PRODUCT SIZE

Diameter:  
Length: 656mm

### CARDBOARD BOX

EAN: 5999097916361  
Packaging: 1/b 12/c 288/p  
Dimensions: 75mm x 65mm x 670mm  
Net weight: 590g  
Gross weight: 715g

### CARTON

EAN: 5999097916378  
Packaging: 1/b 12/c 288/p  
Dimensions: 280mm x 270mm x 690mm  
Net weight: 7.08kg  
Gross weight: 8.58kg


### PALLET EXAMPLE

Height:  
Width: 120cm (std Euro pallet)  
Mepth: 80cm (std Euro pallet)  
Cartons per pallet: 24carton/pallet  
Cartons per row:  
Net weight: 169.92kg  
Gross weight: 205.92kg

### PRODUCT PICTURE



### PRODUCT OUTLINE



Avide Tri-proof fixture for 1 LED Tube 0.6m

**Product code:** ATPF-1X18W  
**Brand link:** [avidelighting.com/qr/ATPF-1X18W](https://avidelighting.com/qr/ATPF-1X18W)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-05-17

Page: 3/3

PRODUCT DESCRIPTION